

# REFERENCES AND FURTHER READING



- Arnadottir, S., and V. Mercer. 2000. Effects of footwear on measurements of balance and gait in women between the ages of 65 and 93 years. *Physical Therapy* 80 (1): 17-27.
- Barnett, C. 1962. The normal orientation of the human hallux and the effect of footwear. *Journal of Anatomy* 96 (Part 4): 489-94.1.
- Barnicot, N.A. 1955. The position of the hallux in West Africans. *Journal of Anatomy* 89 (Part 3): 355-61.
- Bendix, T., S. Sorensen, and K. Klausen. 1984. Lumbar curve, trunk muscles, and line of gravity with different heel heights. *Spine* 9 (2): 223-27.
- Bergmann, G., H. Kniggenndorf, F. Graichen, and A. Rohlmann. 1995. Influence of shoes and heel strike on the loading of the hip joint. *Journal of Biomechanics* 28 (7): 817-27.
- Birn-Jeffery, A.V., and T.E. Higham. 2014. The scaling of uphill and downhill locomotion in legged animals. *Integrative and Comparative Biology*. [Epub ahead of print]
- Carl, T., S. Barrett. 2008. Computerized analysis of plantar pressure variation in flip-flops, athletic shoes, and bare feet. *Journal of the American Podiatric Medical Association* 98 (5): 374-78.
- Carpenter, K.J. 2012. The discovery of vitamin C. *Annals of Nutrition and Metabolism* 61(3): 259-64.

Chevalier, Gaétan, S. T. Sinatra, J. L. Oschman, K. Sokal, and P. Sokal. 2012. Earthing: health implications of reconnecting the human body to the Earth's surface electrons. *Journal of Environmental and Public Health*, Article ID 291541: 1-8.

Cho, N.H., S. Kim, D.J. Kwon, and H.A. Kim. 2009. The prevalence of hallux valgus and its association with foot pain and function in a rural Korean community. *Journal of Bone and Joint Surgery—British Volume* 91 (4): 494-98.

Crockett, H., B. Gross, K. Wilk, M. Schwartz, J. Reed, J. O'Mara & J. Andrews. 2000. Osseous adaptation and range of motion at the gleno-humeral joint in professional baseball. *The American Journal of Sports Medicine* 30 (1): 20-26.

Csapo, R., C. Maganaris, O. Seynnes, and M. Narici. 2010. On muscle, tendon and high heels. *Journal of Experimental Biology* 213: 2582-88.

Daoût, K., T. Pataky, D. De Clercq, and P. Aerts. 2009. The effects of habitual footwear use: foot shape and function in native bare-foot walkers. *Footwear Science* 1 (2): 81-94.

Dawson, J., M. Thorogood, S. Marks, E. Juszczak, C. Dodd, G. Lavis, and R. Fitzpatrick. 2002. The prevalence of foot problems in older women: a cause for concern. *Journal of Public Health* 24 (2): 77-84.

de Lateur, B., R. Giaconi, K. Questad, M. Ko, and J. Lehmann. 1991. Footwear and posture: compensatory strategies for heel height.

*American Journal of Physical Medicine Rehabilitation* 70 (5): 246-54.

De Wit, B., D. De Clercq, and P. Aerts. 2000. Biomechanical analysis of the stance phase during barefoot and shod running. *Journal of Biomechanics* 33 (3): 269-78.

Eisenhardt, J., D. Cook, I. Pregler, and H. Foehl. 1996. Changes in temporal gait characteristics and pressure distribution for bare feet versus various heel heights. *Gait and Posture* 4 (4): 280-86.

Esenyel, M., K. Walsh, J. Walden, A. Gitter. 2003. Kinetics of high-heeled gait. *Journal of the American Podiatric Medical Association* 93 (1): 27-32.

Fanchiang, Hsin-chen and Geil, Mark D. 2014. The effects of walking surface and vibration on the gait pattern and vibration perception threshold of typically developing children and children with idiopathic toe walking. Dissertation, Georgia State University.

Frey, C., F. Thompson, J. Smith, M. Sanders, and H. Horstman. 1993. American Orthopedic Foot and Ankle Society women's shoe survey. *Foot and Ankle* 14 (2): 78-81.

Fulkerson, J., E. Arendt, L. Griffin, J. Garrick. 2002. Anterior knee pain in females. *Clinical Orthopedics & Related Research* 372 (March): 69-73.

Gabell, A., M. Simons, U. Nayak. 1985. Falls in the healthy elderly: predisposing causes. *Ergonomics* 28 (7): 965-75.

- Gefen, A., M. Megido-Ravid, Y. Itzchak, and M. Arcan. 2001. Analysis of muscular fatigue and foot stability during high-heeled gait. *Gait and Posture* 15 (1): 56-63.
- Giuliani, Jeffrey; B. Masini, C. Alitz, B. D. Owens. 2011. Bare-foot-simulating footwear associated with metatarsal stress injury in two runners. *Healio Orthopedics* 34 (7): e320-e323).
- Gottschalk F., J. Sallis, P. Beighton, and L. Solomon. 1980. A comparison of the prevalence of hallux valgus in three South African populations. *South African Medical Journal* 57 (10): 355-57.
- Hill, C., T. Gill, H. Menz, and A. Taylor. 2008. Prevalence and correlates of foot pain in a population-based study: the North West Adelaide health study. *Journal of Foot and Ankle Research*, July 28, 2008.
- Jenkins, D. W. and D. J. Cauthon. 2011. Barefoot running claims and controversies. *Journal of the American Podiatric Medical Association* 101 (3): 231-246.
- Kerrigan, D., J. Johansson, M. Bryant, J. Boxer, U. Croce, and P. Riley. 2005. Moderate-heeled shoes and knee joint torques relevant to the development and progression of knee osteoarthritis. *Physical Medicine and Rehabilitation* 86 (5): 871-75.
- Kerrigan, D., J. Lelas, and M. Karvosky. 2001. Women's shoes and knee osteoarthritis. *The Lancet* 357 (9262): 1097-98.

Kerrigan, D., M. Todd, and P. Riley. 1998. Knee osteoarthritis and high-heeled shoes. *The Lancet* 351 (9113): 1399-1401.

Kirby, K. A. 2001. Subtalar joint axis location and rotational equilibrium theory of foot function. *Journal of the American Podiatric Medical Association* 91 (9): 465-487.

Lee, C., E. Jeong, and A. Freivalds. 2001. Biomechanical effects of wearing high-heeled shoes. *International Journal of Industrial Ergonomics* 28 (6): 321-26.

Lieberman, Daniel E., M. Venkadesan, W.A. Werbel, A. I. Daoud, S. D'Andrea, I.S. Davis, R. Ojiambo Mang'Eni & Y. Pitsiladis. 2010. Foot strike patterns and collision forces in habitually bare-foot versus shod runners. *Nature* 463: 531-535.

Maclennan, R. 1966. Prevalence of hallux valgus in a neolithic New Guinea population. *The Lancet* 287 (7452): 1398-1400.

Martin, R. Bruce, Burr, David B., & Sharkey, Neil A. 1998. *Skeletal Tissue Mechanics*. New York: Springer-Verlag.

McBride I., U. Wyss, T. Cooke, L. Murphy, J. Phillips, and S. Olney. 1991. First metatarsophalangeal joint reaction forces during high-heel gait. *Foot and Ankle* 11 (5): 282-88.

Menz, H.B., and M.E. Morris. 2005. Footwear characteristics and foot problems in older people. *Gerontology* 51 (5): 346-51.

- Menz, H.B., A. Tiedemann, M.M. Kwan, K. Plumb, and S.R. Lord. 2007. Foot pain in community-dwelling older people: an evaluation of the Manchester Foot Pain and Disability Index. *Rheumatology* (Oxford) 46 (2): 375.
- Morgan, Christopher. 2008. Reconstructing prehistoric hunter-gatherer foraging radii: a case study from California's southern Sierra Nevada. *Journal of Archaeological Science* 35 (2): 247-258.
- Mullaji A.B., A.K. Sharma, S.V. Marawar, A. F. Kohli. 2008. Tibial torsion in non-arthritic Indian adults: A computer tomography study of 100 limbs. *Indian Journal of Orthopaedics* 42 (3): 309-13.
- Nigg, B. 2001. The role of impact forces and foot pronation: a new paradigm. *Clinical Journal of Sports Medicine* 11 (1): 2-9.
- Nix, S., M. Smith, and B. Vicenzino. 2010. Prevalence of hallux valgus in the general population: a systematic review and meta-analysis. *Journal of Foot and Ankle Research* 3 (September 27): 21.
- Nurse, M.A., et al. 2005. Changing the texture of footwear can alter gait patterns. *Journal of Electromyography and Kinesiology* 15 (5): 496-506.
- Raichlen, D.A., B.M. Wood, A.D. Gordon, A.Z. Mabulla, F.W. Marlowe and H. Pontzer. 2014. Evidence of Levy walk foraging patterns in human hunter-gatherers. *Proceedings of the National Academy of Sciences* 111(2): 728-33.

- Rao, U., and B. Joseph. 1992. The influence of footwear on the prevalence of flat foot. A survey of 2300 children. *The Journal of Bone and Joint Surgery* 74 (4): 525-27.
- Ridge, Sarah T.; Johnson, A. Wayne; Mitchell, Ulrike H.; Hunter, Iain; Robinson, Eric; Rich, Brent S. E.; Brown, Stephen Douglas. 2013. Foot bone marrow edema after 10-week transition to minimalist running shoes. *Medicine & Science in Sports & Exercise* 45 (7): 1363-8.
- Rixe, Jeffrey A., R.A. Gallo, M.L. Silvis. 2012. The barefoot debate: can minimalist shoes reduce running-related injuries? *Current Sports Medicine Report* 11 (3): 160-65.
- Robbins, S., and A. Hanna. 1987. Running-related injury prevention through barefoot adaptations. *Medicine and Science in Sports and Exercise* 19 (2): 148-56.
- Robbins, S., G. Gouw, and A. Hanna. 1989. Running-related injury prevention through innate impact-moderating behavior. *Medicine and Science in Sports and Exercise* 21 (2): 130-39.
- Rome, K., D. Hancock, and D. Poratt. 2008. Barefoot running and walking: the pros and cons based on current evidence. *The New Zealand Medical Journal* 121 (1272).
- Rossi, William A. 1999. Why shoes make 'normal' gait impossible. *Podiatry Management* (March): 50-61.



- Rossi, W. 2001. Footwear: the primary cause of foot disorders. A continuation of the scientific review of the failings of modern shoes. *Podiatry Management* (February): 129-38.
- Shaw, C.N. and Stock, J.T. 2009. Habitual throwing and swimming correspond with upper limb diaphyseal strength and shape in modern human athletes. *American Journal of Physical Anthropology* 140 (1): 160-172.
- Sherrington, C., and H. Menz. 2002. An evaluation of footwear worn at the time of fall-related hip fracture. *Age and Aging* 32 (3): 310-14.
- Shroyer, J., and W. Weimar. 2010. Comparative analysis of human gait while wearing thong-style flip-flops versus sneakers. *Journal of the American Podiatric Medical Association* 100 (4): 251-57.
- Shull, P.B., R. Shultz, A. Slider, J.L. Drago, T.F. Besier and S. L. Delp. 2013. Toe-in gait reduces the first peak knee adduction moment in patients with medial compartment knee osteoarthritis. *Journal of Biomechanics*, 46 (1), 122-128.
- Sládek, V., M. Berner, R. Sailer. 2006. Mobility in Central European Late Eneolithic and Early Bronze Age: Tibial Cross-sectional Geometry. *Journal of Archaeological Science* 33 (4): 470-482.
- Venkataraman, V.V., T.S. Kraft, J.M. Desilva and N.J. Dominy. 2013. Phenotypic plasticity of climbing-related traits in the ankle joint of great apes and rainforest hunter-gatherers. *Human Biology*, 85(1-3): 309-28.

Venkataraman, V.V., T.S. Kraft and N.J. Dominy. 2013. Tree climbing and human evolution. *Proceedings of the National Academy of Sciences of the United States of America* 110 (4): 1237-42.

Villamin, C.A.C., and J.F.C. Syquia. 2012. Tibial torsion among Filipinos: a cavaderic study. *Malaysian Orthopedic Journal* 6 (3): 27-30.

von Tscharnar, V., B. Goepfert, and B. Nigg. 2003. Changes in EMG signals for the muscle tibialis anterior while running barefoot or with shoes resolved by non-linearly scaled wavelets. *Journal of Biomechanics* 36 (8): 1169-76.

Vormittag, K., R. Calonje, and W.W. Briner. 2009. Foot and ankle injuries in the barefoot sport. *Current Sports Medicine Reports* 8 (5): 262-66.

Weist, Roger, E. Eils, D. Rosenbaum. 2004. The influence of muscle fatigue on electromyogram and plantar pressure patterns as an explanation for the incidence of metatarsal stress fractures. *American Journal of Sports Medicine* 32 (8): 1893-1898.

Willems, T., E. Witvrouw, A. De Cock, and D. De Clercq. 2007. Gait-related risk factors for exercise-related lower-leg pain during shod running. *Medicine and Science in Sports and Exercise* 39 (2): 330-39.

Zipfel, B. and L.R. Berger. 2007. Shod versus unshod: the emergence of forefoot pathology in modern humans. *The Foot* 17 (4): 205-13.